

# Contents

<i>List of Figures</i> . . . . .	xiii
<i>List of Tables</i> . . . . .	xv
<b>1 Introduction</b>	<b>1</b>
1.1 Problem Statement . . . . .	2
1.1.1 Translating Requirements to System Design: . . . . .	2
1.1.2 Dual-Camera Surveillance System Design & Analysis: . . . . .	3
1.1.3 Relaxing Constraints, System Extension: . . . . .	4
1.2 Contribution of the Thesis . . . . .	4
1.3 Organisation of the Thesis . . . . .	5
<b>2 Literature Review</b>	<b>7</b>
2.1 System Methodology . . . . .	7
2.1.1 Performance Characterization Literature Review . . . . .	7
2.1.2 Systems Analysis Methodology Review . . . . .	10
2.2 Video Surveillance and Monitoring . . . . .	10
2.2.1 Change Detection Review . . . . .	11
2.2.2 Illumination Invariance Review . . . . .	13
<b>3 Background and Motivation</b>	<b>17</b>
3.1 System Engineering for Vision . . . . .	17
3.1.1 Classification of Performance Characterization Work . . . . .	17
3.1.2 Systems Analysis Given Chosen Algorithm Sequence . . . . .	18
3.1.3 Tools Used for Systems Analysis . . . . .	21
3.2 Dual-Camera Video Surveillance System . . . . .	22
3.2.1 Omni-Directional Camera . . . . .	23
3.2.2 Active Pan-Tilt-Zoom Camera . . . . .	24
<b>4 The System: Architecture, Design &amp; Analysis</b>	<b>25</b>
4.1 Systems Architecture Choice, Priors & Requirements . . . . .	25
4.1.1 Application Requirements . . . . .	27

4.1.2	System Hardware Configuration . . . . .	27
4.1.3	Priors, Camera Models, Illumination Models . . . . .	32
4.2	Design & System Software Configuration . . . . .	34
4.2.1	T1: Illumination Invariant Measure Estimation . . . . .	37
4.2.2	T2: Probability of Background (at Pixel Level) . . . . .	37
4.2.3	T3: Indexing for Hypothesis Generation . . . . .	38
4.2.4	T4: Feature Generation . . . . .	42
4.2.5	T5: Person Foot Location Estimation in 2D (image coordinates) . . . . .	43
4.2.6	T6: Location Estimation in 3D (real-world coordinates) . . . . .	45
4.2.7	T7: Foveal Camera Control Parameter Estimation (Pan, Tilt) . . . . .	45
4.2.8	T8: Zoom Parameter — The Final Estimate . . . . .	46
4.2.9	Tracker . . . . .	47
4.3	System Analysis . . . . .	49
4.3.1	Analysis of T1: Illumination Invariant Measure Estimation . . . . .	50
4.3.2	Analysis of T2: Probability of Background . . . . .	53
4.3.3	Analysis of T3: Indexing for Hypothesis Generation . . . . .	54
4.3.4	Analysis of T4: Hypothesis Generation . . . . .	56
4.3.5	Analysis of T5: Person Foot Location Estimation in 2D . . . . .	56
4.3.6	Analysis of T6: Location Estimation in 3D . . . . .	57
4.3.7	Analysis of T7: Foveal Camera Control Parameter Estimation . . . . .	58
4.4	Experiments and Validation . . . . .	60
4.4.1	Validation of Assumptions by Simulation . . . . .	60
4.4.2	Validation of Models by Systematic Experiments . . . . .	60
4.4.3	System Performance Evaluation . . . . .	63
<b>5</b>	<b>Evolution of the System</b> . . . . .	<b>71</b>
5.1	Approach to Maximal Re-Use of Modules . . . . .	71
5.2	Relaxed Constraints on Scene and Illumination . . . . .	72
5.3	Module Description: Design and Analysis . . . . .	73
5.3.1	Gain and Shadow Invariant Change Detection Module . . . . .	74
5.3.2	Background Adaptation Module . . . . .	74
5.4	Fusion of Modules . . . . .	76
5.4.1	Updating Normalized Color Model . . . . .	77
5.4.2	Augmented Shadow-Invariant SG-Algorithm . . . . .	77
5.4.3	Fused Change Detection Measure . . . . .	79
5.5	Experiments and Validation . . . . .	84

<b>6</b>	<b>Results and Insights</b>	<b>93</b>
6.1	Quantitative Results . . . . .	94
6.2	Optimization and Customization of Setup . . . . .	96
6.3	Discussion . . . . .	97
<b>7</b>	<b>Summary</b>	<b>101</b>
<b>8</b>	<b>Outlook</b>	<b>105</b>
	<b>Bibliography</b>	<b>107</b>
<b>A</b>	<b>Mathematic Appendix</b>	<b>119</b>
A.1	Appendix: Variance Propagation . . . . .	119
A.2	Appendix: Stauffer / Grimson Algorithm . . . . .	122
A.3	Appendix: Shadow Augmentation . . . . .	122
A.4	Appendix: Hardware . . . . .	125
<b>B</b>	<b>Notation and Symbols</b>	<b>127</b>
	<i>Curriculum Vitae</i>	<i>130</i>